
Environmental Compliance Certification Program

Certification Checklist Package

For

Exterior Lead Paint Removal Contractors



March 2005



Rhode Island Department of Environmental Management
Office of Technical and Customer Assistance
235 Promenade Street
Providence, RI 02908
(401) 222-6822

www.dem.ri.gov

Section 1.0 - Compliance Certification Instructions

This Certification Checklist Package accompanies the Certification Workbook for Exterior Lead Paint Removal. In order to improve environmental protection at less cost to both government and business, the Exterior Lead Paint Removal Certification Program offers exterior lead paint removal contractors the opportunity to self-certify to the Rhode Island Department of Environmental Management (DEM) that they are complying with the environmental protection requirements that apply to exterior lead paint removal. This common sense approach to regulation holds great promise for making it easier for the exterior paint removal contractors to meet - and surpass - applicable Rhode Island environmental regulations. Although participation is voluntary, there are benefits to participating in the program:

- Receiving information and education on methods of complying with environmental regulations that apply to removing exterior lead paint
- Making you better prepared for a random inspection of work being performed
- Entitling you to free technical assistance from DEM's Office of Technical
 & Customer Assistance to comply with environmental regulations.
- Being placed on a public list of certified paint contractors on DEM's website
- Using your DEM Certification as a marketing tool with customers
- Receiving a Certificate of Participation from DEM
- Receiving educational and promotional materials

It is highly recommended that contractors thoroughly read the Certification Workbook before beginning to complete the Participation Form & Certification Checklist.

There are two certification forms found in this package that are used in the program:

1. Participation Form & Certification Checklist

This form contains a series of questions that pertain to contractor operating procedures and regulatory requirements (DEM Regulation # 24, "Removal of Lead Based Paint from Exterior Surfaces, Effective 27 April 1993", and the Federal Pre-Renovation Education Rule, for example). Prior to participating

in the program and being included in the list of certified exterior paint removal contractors, the form must be completed and submitted to DEM. Every two (2) years thereafter, the certification form must be updated and resubmitted to continue participation in the program. You should keep a copy of this completed form for your records.

2. Project Checklist

This form is completed for each project conducted, prior to work beginning, that involves exterior lead paint removal. A copy of a completed Project Checklist must be given to the owner or occupant where exterior paint removal operations are being conducted. It is not necessary (not a program requirement) to submit a copy of these completed forms to DEM, but you may keep copies of these forms for your own records if you wish.

As the Workbook states, this program covers certification of environmental regulatory requirements pertaining to exterior lead paint removal, and does <u>not</u> cover OSHA requirements.

It is very important to remember that you <u>must</u> comply with all applicable federal and state environmental regulatory requirements, whether or not you participate in the program.

1.1 How Do I Fill Out the Compliance Certification Forms?

- Read the accompanying Certification Workbook to understand your state and federal environmental responsibilities pertaining to exterior lead paint removal.
- 2. Make a copy of the Certification Participation Form & Checklist to use as a working draft.
- **3.** Read the checklist, and complete all of the questions.
- **4.** Review your **Certification Participation Form & Checklist** for completeness. Once complete:
 - \checkmark Copy your answers from the draft to the original
 - $\sqrt{}$ Sign the certification statement
 - $\sqrt{}$ Make a copy of the completed certification checklist for your files
 - $\sqrt{}$ Mail the original signed copy to DEM.

1.2 How do I submit a Compliance Certification?

To begin receiving benefits of program participation, complete the Participation Form & Certification Checklist, and mail it to DEM as soon as possible. Mail the completed certification checklist form to:

Rhode Island Department of Environmental Management
Exterior Lead Paint Removal Certification Program
Office of Technical and Customer Assistance
235 Promenade Street
Providence, RI 02908-5767

It's That Simple!

1.3 What if I have questions about the program, or completing the form?

Contact DEM at (401) 222-6822, Ext. 4412

1.4 Blank Forms

Blank copies of the following forms are provided in this package, so that you can make copies from them and use them for exterior lead paint projects that you conduct/perform:

- "Project Checklist", required to be provided to the owner or occupant where paint removal operations are being conducted.
- "Notification Of Removal Of Lead Based Paint", required by DEM Air Pollution Regulation # 24.
- "Confirmation of Receipt of Lead Pamphlet", required by the federal Pre-Renovation Education Rule.
- "Renovation Notice", required by the federal Pre-Renovation Education Rule (For use in notifying tenants of renovations in common areas of multi-family housing).
- "Record of Tenant Notification Procedures", required by the federal Pre-Renovation Education Rule (Procedures Used For Delivering Notices to Tenants of Renovations in Common Areas).

All of these forms provided in this booklet are single sided, for ease of copying. Forms that have more than one page, such as the "Project Checklist" and "Notification Of Removal Of Lead Based Paint", can be copied double sided to reduce the amount of paper.

The Participation Form & Certification Checklist is found on the next page.

Note: This booklet is a public document, and is not copyrighted. It may be reproduced for educational purposes, but may not be sold for profit.

Disclaimer: The Rhode I sland Department of Environmental Management does not warrant or assume any legal liability or responsibility for the accuracy, completeness, usefulness, or application of any information, apparatus, product, or process disclosed in this document.















Rhode Island Department of Environmental Management Exterior Lead Paint Removal Certification Program 2005 Certification Participation Form & Checklist

Anyone engaged in the removal of lead-based paint from exterior surfaces must comply with all applicable state and federal environmental regulations, including the Rhode Island Department of Environmental Management's (DEM) Air Pollution Control Regulation No. 24, as well as federal pre-renovation education requirements. Compliance certification helps individuals and contractors avoid violations and costly penalties, while protecting the environment. *Participation in this program qualifies individual companies to be placed on the DEM list of certified painting contractors, which is posted on the Department's website.*

- Please read the Certification Workbook before completing this form -

Sec	ction A: Business Information		
Bus	iness Name:		
Business Street Address:		Phone #:	
<u>City</u>	7/Town:		
Stat	e/Zip Code:	Number of Employees:	
Con	tact Person:		
	ner Name: ase Print)		
`	aail Address:	(Optional)	
Ave	rage Number of Exterior Paint Removal Contracting Jobs per	Year:	
Sec	tion B: Federal Pre-Renovation Education Rule (40 (http://www.epa.gov/lead/leadinfo.htm#remodeling)	96(b))	
B1	Federal regulation requires that contractors, property managers, a (including paint removal of more than 2 sq. ft.) in residential hou (built before 1978) provide the EPA pamphlet titled, " <i>Protect Yo</i> occupants and receive a signed statement of receipt of the pamph requirement?	ses and apartments that may contain lead-based paint our Family from Lead in Your Home" to owners and	
	Yes No		
Sec	tion C: Air Pollution Control Regulation # 24 Comp	pliance Checklist (Site Preparation)	
C1	Does your business remove exterior lead paint in preparing the st (Any dwelling that is older than 1978 could contain lead-based p		
	Yes No		

If you answered "Yes", please continue to C.2. If you answered "No", your business is exempt from Regulation # 24, but must still comply with Regulation # 5, "Fugitive Dust". If "Not Sure", please read below:

According to RIDEM Regulation # 24, "Lead-based paint" means any surface coating material that contains more than 0.05% lead by weight calculated as lead metal in the dried solid. To determine if paint does not contain lead, laboratory testing can be performed on paint chips samples at nominal cost by local environmental analytical laboratories.

Please answer the following questions regarding compliance with Regulation # 24: Do you certify that the following is done?

C2.	When removing exterior lead paint, do you inform, in writing, adults living in the structure from which the paint is being removed at least five days prior to the removal project?					
		Yes		No		
С3.		ipals of schools loc	cated within	n writing, all adults living in residences, managers on fifty (50) feet of the structure undergoing lead pain project?		
		Yes		No		
C4.	Do you adequately copaint debris?	ver the ground at tl	he removal s	site such as with an impenetrable tarpaulin, to collec	t lead	
		Yes		No		
C5.	Do you remove items project, or cover them			I furnishing within fifty (50) feet of the lead paint real?	moval	
		Yes		No		
C6.	If you notice lead pain vertical containment?		yond the gro	ound sheeting, do you extend the ground cover or ero	ect	
		Yes		No		
C7.	operations for structur	res other than build	dings? (The	urces for approval prior to starting any paint removal e plan must describe the type of removal to be utilize tition of the environment with lead)		
		Yes		No		
Section D: Air Pollution Control Regulation # 24 Compliance Checklist (Approved Removal Methods)						
D1.	Do you certify to use o	only the following	methods wh	hen removing exterior lead paint?		
		Yes		No (If "No", See D2)		
	Please check metho					
	Wet Manual Scrapi	ing: Paint surfaces	must be mi	isted with water just prior to scraping		
	HEPA vacuum unit	t. Sanding pad or s	craping disc	g: Allowed as long as sander or scraper is equipped c cannot be wider than the shingle or clapboard exposust be closed and sealed. Air conditioners must be sl	osure.	
		s at the blasting he	ead. All doo	g system must be equipped with a HEPA vacuum thors and windows on paint removal side must be close vered.		

	Wet Abrasive: Vertical containment must be used to prevent any and all debris generated by the operation from going beyond ground sheeting. Any and all liquid waste containing lead must be collected and handled in accordance with DEM Solid and Hazardous Waste Regulations (see Cleanup/Disposal Compliance).				
	Heat Removal: No open flame is permitted. Heat gun devices cannot exceed 1,000 °F.				
	Chemical Removal: Allowed as long as stripper is nonflammable and contains no methylene chloride.				
D2.	D2. If you use methods other than the above, <u>including high pressure power washing that removes lead paint</u> , you must comply with the following:				
	A description of alternative methods for paint removal <u>must</u> be submitted to, and <u>approved</u> by DEM's Office of Air Resources, prior to removing paint. To request approval for an Alternative Procedure, you must seek approval from DEM's Office of Air Resources, 235 Promenade Street, Providence, RI 02908-5767, Attn: Mr. Ted Burns, (401) 222-2808, or Fax: (401) 222-2017.				
	Do you certify that you comply with this requirement?				
	Yes No				
Sec	tion E: Clean-up/Disposal Compliance Checklist Do you certify that the following is done?				
E1.	At the end of each day, do you collect all lead paint-related debris, including liquid waste, in containers, and store them in an area not easily accessible to the public				
	Yes No				
E2.	At the end of each day, do you inspect the area for leftover lead paint debris, and remove sheeting and store it away from public access?				
	Yes No				
E3.	At the end of the project, do you properly dispose of all containers of lead paint debris and liquid waste, including sheeting and ground cover, and inspect the area for lead paint debris?				
	Yes No				
E4.	Do you dispose of lead paint and debris in accordance with DEM Solid and Hazardous Waste Regulations, using one of the methods listed below:				
	 Disposed of as household solid waste by homeowner/occupant or their representative, through use of curb side collection, community sponsored transfer station, or household hazardous waste collection Removed from site and tested to determine whether material is solid waste or hazardous waste; with disposal through an intermediate facility, that facility could be considered a generator of hazardous waste (see Disposal Guidelines) Removed from commercial or industrial property, managed per DEM Rules & Regulations for Hazardous Waste Management 				

Air Pollution Control Regulation # 24 found at http://www.state.ri.us/dem/pubs/regs/REGS/AIR/AIR24-93.PDF

 $Additional\ Information - Regulation\ \#\ 24\ found\ at\ \underline{http://www.state.ri.us/dem/pubs/regs/regs/air/leadchuz.htm}$


Section F: Election to Participate & Certification Statement I ______, hereby declare the following: 1. That I elect to participate in DEM's Exterior Lead Paint Removal self-certification program 2. That I have personally examined and am familiar with the information contained in this submittal, including any and all documents or attachments accompanying this certification statement. 3. That the information that I have provided and is contained in this submittal is, to the best of my knowledge, true, accurate, and complete. 4. That I am authorized to make this attestation on behalf of this business. **NOTES:** 1. By participating in this program, you are entitled to promote your company's participation in the Rhode Island Department of Environmental Management's Exterior Lead Paint Removal Certification Program. Also, your company information will be placed on list of Certified Exterior Lead Paint Removal Contractors on the DEM website at http://www.state.ri.us/dem/programs/benviron/assist/index.htm. 2. As a program participant, in addition to submitting this completed form, you agree to: Complete and give a completed *Project Checklist* to owners or occupants where exterior lead paint removal operations are being conducted before the project is begun. As required by federal law, provide a copy of the pamphlet, *Protect Your Family from Lead in* Your Home, to owners/occupants of pre-1978 housing where paint removal activities will take place before starting work, and obtain a signed acknowledgement of receipt of the pamphlet. NOTE: All contractors operating in the State of Rhode Island (whether certified or not) are subject to random/targeted inspections, and MUST be in compliance with environmental regulations at all times. I certify that the information that I have provided in this form is true, accurate and complete, to the best of my knowledge. Signature:

Complete and Return this form to:

Printed Name: _____ Title: _____

Rhode Island Department of Environmental Management Exterior Lead Paint Removal Certification Program Office of Technical and Customer Assistance 235 Promenade Street Providence, RI 02908-5767

Please keep a copy of this Form & Checklist for your records





Rhode Island Department of Environmental Management Exterior Lead Paint Removal Certification Program Project Checklist

This form must be completed and provided to the owner/occupant before the project is begun Owner/Occupant: Keep this Checklist for Your Records

	Susiness Name:		
	treet Address:	Phone #:	
<u>C</u>	City/Town:	Zip Code:	
<u>(</u>	Contact Person:	Owner:	
N	ame of Owner/Occupant, and address of home where ext	erior lead paint removal will be conducted:	
			-
(Check off the following requirements in	each Section, that must be com	- plied with
B1	Federal regulation requires that contractors, property ma for compensation (including paint removal of more than apartments that may contain lead-based paint (built befor "Protect Your Family from Lead in Your Home" to ow statement of receipt of the pamphlet before starting work	2 sq. ft.) in residential houses and re 1978) provide the EPA pamphlet titled, wners and occupants and receive a signed	
Sec	tion C: Air Pollution Control Regulation # 2	4 Compliance Checklist (Site Prepa	aration)
C1.	At least five (5) days prior to the exterior lead paint reminformed in writing about the project: adults living in the removed; and all adults living in residences, managers of located within fifty (50) feet of the structure undergoing	he structure from which the paint is being of businesses and principals of schools	
C2.	Ground will be adequately covered (such as with a imperequipment, and furnishings within fifty (50) feet of the or covered with a leak proof material.		
С3.	If lead paint debris is noticed falling beyond the ground vertical containment shrouds will be erected.	sheeting, ground cover will be extended,	
C4.	If applicable, a plan will be submitted to DEM's Office of starting any lead paint removal operations for structures describe the type of removal to be utilized and measures of the environment with lead.)	s other than buildings (The plan must	

Section D: Air Pollution Control Regulation # 24 Compliance Checklist (Approved Removal Methods)

D1.	Check v	which of the following methods will be used when removing exterior lead paint on this project			
	(a)	Wet Manual Scraping: Paint surfaces must be misted with water just prior to scraping			
	(b)	HEPA Equipped Mechanical Sanding or Scraping: Allowed as long as sander or scraper is equipped with a HEPA vacuum unit that immediately captures all abrasive, dust, paint, or other debris generated by the operation. Sanding pad or scraping disc cannot be wider than the shingle or clapboard exposure. All doors and windows on paint removal side must be closed and sealed. Air conditioners must be shut off and covered.			
	(c)	<u>HEPA Equipped Dry Abrasive:</u> Abrasive-blasting system must be equipped with a HEPA vacuum that collects paint debris at the blasting head. All doors and windows on paint removal side must be closed and sealed. Air conditioners must be shut off and covered.			
	(d)	<u>Wet Abrasive</u> : Vertical containment must be used to prevent any and all debris generated by the operation from going beyond ground sheeting. Any and all liquid waste containing lead must be collected and handled in accordance with DEM Solid and Hazardous Waste Regulations (see Section D).			
	(e)	Heat Removal: No open flame is permitted. Heat gun devices cannot exceed 1,000 °F.			
	(f)	Chemical Removal: Allowed as long as stripper is nonflammable and contains no methylene chloride.			
	(g)	I will not use any of the above methods. I have obtained in writing from DEM's Office of Air Resources, approval for use of alternative methods for paint removal, that is required prior to removing paint.			
~					
		c Cleanup/Disposal Compliance Checklist Diject will comply with daily and end of project cleanup, inspection, and storage requirements			
E1.	The pro				
E1.	The pro	oject will comply with daily and end of project cleanup, inspection, and storage requirements			
E1.	The pro	oject will comply with daily and end of project cleanup, inspection, and storage requirements al method to be used for lead paint removed and debris (a) Disposed of as household solid waste by homeowner/occupant or their agent, through use of curb side			
E1.	The pro	oject will comply with daily and end of project cleanup, inspection, and storage requirements al method to be used for lead paint removed and debris (a) Disposed of as household solid waste by homeowner/occupant or their agent, through use of curb side collection, community sponsored transfer station, or household hazardous waste collection (b) Removal from site and tested to determine whether material is solid waste or hazardous waste; with disposal through intermediate facility, that facility could be considered a generator of hazardous			
E1.	The pro	oject will comply with daily and end of project cleanup, inspection, and storage requirements al method to be used for lead paint removed and debris (a) Disposed of as household solid waste by homeowner/occupant or their agent, through use of curb side collection, community sponsored transfer station, or household hazardous waste collection (b) Removal from site and tested to determine whether material is solid waste or hazardous waste; with disposal through intermediate facility, that facility could be considered a generator of hazardous waste (c) Removed from commercial or industrial property, managed per DEM Rules & Regulations for			

Rhode Island Department of Environmental Management Office of Technical & Customer Assistance 235 Promenade Street Providence, RI 02908 Telephone: (401) 222-6822, Ext. 4412

Fax: (401) 222-3810

NOTIFICATION OF REMOVAL OF LEAD BASED PAINT

By Certified Exterior Lead Paint Removal Contractor (Required 5 days in advance of starting date)

Please be advised that lead based paint is about to be removed from the exterior of a structure at the address below.

City/Town, State, Zip	
proximate dates for sta	rting and finishing the project are:
from:	to:
d paint removal is to b	e done by:
Company Name	
Name of Responsible Ind	lividual
Address	
City/Town, State, Zip	
	tified with the Department of Environr nmental regulatory compliance pertain paint
Certified Exterior Lead	d Paint Removal Contractor #

The paint which will be removed from this structure contains lead. Exposure to lead is unhealthful particularly to young children. For a copy of Regulation 24 and a summary of the requirements, check the Regulations section at the Department's website at http://www.state.ri.us/dem, or call DEM's Office of Technical and Customer Assistance at (401) 222-6822. For information about lead poisoning prevention, call the Department of Health Lead Hotline at (800) 942-7434.

Complaints about improper removal:

8:30 a.m. to 4:00 p.m. weekdays At other times

DEM Office of Compliance and Inspection DEM Law Enforcement

All requirements of Rhode Island Air Pollution Control Regulation 24 entitled, "Removal of Lead Based Paint from Exterior Surfaces" must be followed by any person (whether a homeowner or a contractor) who removes paint from the exterior of any structure. Regulation 24 and other pertinent information may be obtained from the Regulations section of the DEM's website at http://www.state.ri.us/dem, or by calling:

Department of Environmental Management Office of Technical and Customer Assistance (401) 222 - 6822, 8:30 a.m. to 4:00 p.m. weekdays

Written notice of the lead paint removal project must be given to the following individuals at least five (5) days prior to starting any exterior lead paint removal:

- Adults residing in the structure from which lead paint is being removed, and
- Adults in residences located within 50 feet of the structure undergoing lead paint removal, and
- Owners, agents or property managers of the structure and/or of any building located within 50 feet of the structure undergoing lead paint removal, and
- Owners, agents or managers of businesses or organizations located in the structure or within 50 feet of the structure undergoing lead paint removal, and
- Principals of schools and the chief administrative officer of every school located within 50 feet of the structure undergoing lead paint removal.

Request DEM approval to remove lead paint with power washing/pressure washing equipment, or the use of any method not approved in Regulation 24, by contacting DEM's Office of Air Resources at (401) 222-2808 from 8:30 a.m. to 4:00 p.m. weekdays.

Lead paint removal by any procedure considered an alternative procedure, or from structures other than buildings, must not begin until a written approval is issued by DEM's Office of Air Resources.

Questions about disposal of hazardous waste may be directed to DEM's Office of Technical and Customer Assistance (401) 222- 6822, from 8:30 a.m. to 4:00 p.m. weekdays.

Supplemental Information

Contractors: For information about worker protection, contact Providence

Area OSHA at (401) 528-4669

Confirmation of Receipt of Lead Pamphlet			
I have received a copy of the pamphlet, <i>Protect Your Family From Lead in Your Home</i> , informing me of the potential risk of the lead hazard exposure from renovation activity to be performed in my dwelling unit. I received this pamphlet before the work began.			
Printed	name of recipient	Date	
Signatu	ure of recipient		
If the le	ertification Option (for tenant-oc ead pamphlet was delivered but a by check the appropriate box belo	tenant signature was not obtainable,	
	Refusal to sign — I certify that I have made a good faith effort to deliver the pamphlet, <i>Protect your Family From Lead In Your Home</i> , to the rental dwelling unit listed below at the date and time indicated and that the occupant refused to sign the confirmation of receipt. I further certify that I have left a copy of the pamphlet at the unit with the occupant.		
	effort to deliver the pamphlet, <i>Pi Home</i> , to the rental dwelling univas unavailable to sign the conf	ertify that I have made a good faith rotect Your Family From Lead In Your t listed below and that the occupant firmation of receipt. I further certify aphlet at the unit by sliding it under	
	name of person certifying mphlet delivery	Attempted delivery date and time	
Signature of person certifying lead pamphlet delivery			
Unit Ad	dress		
	egarding Mailing Option — As an a	Iternative to delivery in person	
you may	mail the lead pamphlet to the owne	r and/or tenant. Pamphlet must bemailed nent with a certificate of mailing from	

the post office)

Renovation Notice — For use in notifying tenants of renovations in common areas of multi-family housing.			
The following renovation activities will take place in the following locations:			
Activity (e.g., sanding, window replacement)			
Location (e.g., lobby, recreation center)			
The expected starting date is and the expected ending date is Because this is an older building built before 1978, some of the paint disturbed during the renovation may contain lead. You may obtain a copy of the pamphlet, <i>Protect Your Family From Lead in Your Home</i> , by telephoning me at Please leave a message and be sure to include your name, phone number and address. I will either mail you a pamphlet or slide one under your door.			
Date	Printed name of renovator		
	Signature of renovator		

Record of Tenant Notification Procedures — Procedures Used For Delivering Notices to Tenants of Renovations in Common Areas				
Project Address:				
Street		(apt. #)		
City	State	Zip Code		
Owner of multi-family housing	Number of dwelling units			
Method of delivering notice forms (e.g. delivery to units, delivery to mailboxes of units)				
Name of person delivering notices				
Signature of person delivering notices	Date of De	livery		